


K-CAXI Roof Mounted Horizontal Discharge Fan



K-CAXI fans can be used to pressurize and exhaust staircases and elevator shafts. With its hood to protect the motor from rain and snow and powder coating for weather conditions, it can work for a long time.



MOTOR INSULATION CLASS	F CLASS
MOTOR PROTECTION CLASS	IP 55
MOTOR EFFICIENCY CLASS	IE2-IE3
MOTOR ENCLOSURE TYPE	TEFC
MOTOR BRAND	GAMAK-VOLT-WATT
BODY MATERIAL	GALVANIZED SHEET METAL
BODY COATING	ELECTROSTATIC POWDER PAINT
IMPELLER MATERIAL	ALUMINIUM
DUTY CYCLE	IEC Duty Cycle-S1
WORKING AMBIENT TEMPERATURE	-20 - +50 °C
DIRECTIVE	IEC-60335-2-80, ISO 1940-1

MODEL	VOLTAGE (V)	FREQUENCY (Hz)	POWER (kW)	REVOLUTION (rpm)	FLOW RATE (m³/h)	NOISE LEVEL (dB(A))	PRICE
K-CAXI 400-5-25	380	50	0,37	1.450	3.000	66	
K-CAXI 450-5-25	380	50	0,55	1.456	4.400	69	
K-CAXI 500-5-25	380	50	0,55	1.453	6.000	72	
K-CAXI 560-5-25	380	50	0,75	1.466	8.200	75	
K-CAXI 630-5-30	380	50	1,10	1.465	14.000	80	
K-CAXI 710-5-30	380	50	1,50	1.472	20.000	83	
K-CAXI 800-5-30	380	50	2,20	1.459	26.000	85	
K-CAXI 800-5-35	380	50	3,00	1.463	32.000	89	
K-CAXI 900-5-35	380	50	4,00	1.471	40.000	90	
K-CAXI 900-5-40	380	50	5,50	1.472	48.000	93	
K-CAXI 1000-5-40	380	50	7,50	1.478	56.000	94	
K-CAXI 900-8-40	380	50	11,00	1.454	49.000	94	
K-CAXI 1000-8-40	380	50	15,00	1.456	65.000	97	
K-CAXI 1000-8-45	380	50	18,50	1.458	73.000	99	
K-CAXI 1120-8-40	380	50	22,00	1.471	90.000	100	
K-CAXI 1120-8-45	380	50	30,00	1.474	100.000	102	

Values are for 0 Pa.

OPTIONS




BACK DRAFT DAMPER	
SIZE	PRICE
400	
450	
500	
560	
630	
710	
800	
900	
1000	
1120	

PANEL	
SIZE	PRICE
5,5 kW	
7,5 kW	
11,0 kW	
15,0 kW	
18,5 kW	
22,0 kW	
30,0 kW	

OPTIONS

- Electro-Static Powder Coating
- Custom Fans For Specific Flow Rate and Pressure
- 5, 8, 12, or 16 Blade Fan
- Aluminium or Plastic Blades
- System Automation
- Two-Speed Motor
- Motorized Damper


DRAWING




MODEL	A (mm)	B (mm)	C (mm)	D (mm)
K-CAXI 400	400	480	320	11
K-CAXI 450	450	530	320	11
K-CAXI 500	500	580	320	11
K-CAXI 560	560	640	320	11
K-CAXI 630	630	710	420	11
K-CAXI 710	710	790	420	11
K-CAXI 800	800	880	420	11
K-CAXI 900	900	980	520	11
K-CAXI 1000	1000	1080	520	11
K-CAXI 1120	1120	1200	520	11

PERFORMANCE CURVES


K-CAXI 400-5-25




K-CAXI 450-5-25




K-CAXI 500-5-25




K-CAXI 560-5-25




K-CAXI 630-5-30




K-CAXI 710-5-30




K-CAXI 800-5-30




K-CAXI 800-5-35




K-CAXI 900-5-35




K-CAXI 900-5-40




K-CAXI 1000-5-40




K-CAXI 900-8-40




K-CAXI 1000-8-40



K-CAXI 1000-8-45



K-CAXI 1120-8-40



K-CAXI 1120-8-45

